

MATERIAL SAFETY DATA SHEET

20-600 -- ADVANTAGE FLAT WHITE Printed: 08/03/07 Revised: 02/07/02 Page 1

----- HMIS CODES -----

Hazard Rating: Health 1
Flammability 0

Manufacturer:
EVERLASTING COATINGS&PAINTS
1701 PENNSYLVANIA AVE, NW
WASHINGTON, DC 20006
Phone: 301-681-0003

EMERGENCY TELEPHONE: 305-558-7315

Least --> Greatest Reactivity 0
0 --> 4 Personal Protection B

SECTION I: PRODUCT IDENTIFICATION

Product Code: 20-600 Product Class: PAINT
Product Name: 20-600 ADVANTAGE FLAT WHITE
Chemical Name: ADVANTAGE FLAT WHITE CAS Number: NA

SECTION IIA: HAZARDOUS INGREDIENTS

Ingredient CAS Number (To Nearest % 1.00%) by Vapor LEL
1. ETHYLENE GLYCOL 107-21-1 by Wt. %2.00 Vol. Press. 3.2
Applicable; 3.00 NE -.10
= Not Established
NA = Not

SECTION IIB: OCCUPATIONAL EXPOSURE LIMITS

Ingr. # ppm OSHA PEL's-----ACGIH TLV's-----OSHA
1. 50 mg/m3 TWA ppm TWA mg/m3 STEL ppm STEL mg/m3'
NA =Not Applicable; NE =Not Established

SECTION III: PHYSICAL DATA

Boiling Range (degrees F): 212.00 - 220.00 Pounds per Vapor Gallon: 11.57
Density: LIGHTER THAN AIR Evaporation Rate: SLOWER THAN ETHER
Solubility in Water: S
Appearance: WHITE LIQUID

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

Flammability Classification:
OSHA: 0 DOT: NA
Flash Point: NA (Method: Na)
UEL: NA

Extinguishing Media: FOAM,C02,DRYCHEMICAL

Unusual Fire and Explosion Hazards

MATERIAL MAY SPLATTER ABOVE 212 DGS.F.SEALED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

Special Firefighting Procedures

POLYMER FILM CAN BURN.AVOID BREATHING FUMES,TRACE AMOUNTS OF CARBON DIOXIDE-CARBON MONOXIDE MAY BE RELEASED. COOL CONTAINERS WITH WATER.

MATERIAL SAFETY DATA SHEET

20-600 -- **ADVANTAGE** FLAT WHITE Printed: 08/03/07 Revised: 02/07/02 Page 2
=====

SECTION V: HEALTH HAZARD DATA

Effects of Overexposure
HEADACHE, NAUSEA, AND IRRITATION OF NOSE, THROAT, AND LUNGS.

Medical Conditions Prone to Aggravation by Exposure NONE KNOWN

Primary Routes of Entry into the Body, and Effects INHALATION,
SKIN, EYES, AND, SWALLOWING.

EMERGENCY FIRST-AID PROCEDURES

EYE AND SKIN CONTACT: FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CONSULT
PHYSICIAN. WASH AFFECTED AREA WITH SOAP AND WATER. INHALATION:
MOVE SUBJECT TO FRESH AIR.'

SECTION VI: REACTIVITY DATA

Stability: STABLE Hazardous Polymerization WILL NOT OCCUR.

Hazardous Decomposition Products
CARBON DIOXIDE/CARBON MONOXIDE

Conditions to Avoid
NONE KNOWN

Incompatibilities (Materials to Avoid)
NONE KNOWN

SECTION VII: SPILL OR LEAK PROCEDURES; WASTE DISPOSAL

Steps to be taken if Material is Leaked or Spilled
AVOID CONTACT. SOAK UP WITH ABSORBENT MATERIAL. KEEP SPILLS OUT OF MUNICIPAL
SEWERS AND OPEN BODIES OF WATER.

Waste Disposal Methods
DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

SECTION VIII: SAFE HANDLING AND USE INFORMATION

Respiratory Protection
DUST AND MIST MASK SUCH AS TC-21C-141 OR TC-21C-183 FOR PARTICULATE DUST PRO-
TECTION.

Ventilation
MECHANICAL EXHAUST MAY BE REQUIRED IN CONFINED AREAS.

Protective Gloves
RUBBER GLOVES REQUIRED FOR PROLONGED CONTACT.

Eye Protection
GOGGLES CAPABLE OF PROTECTION AGAINST SPLASH OR SPRAY (ANZI Z87 OR EQUAL).

Page 2

ADVANTAGE FLAT WHITE

Revision Date: 02/07/02

MATERIAL SAFETY DATA SHEET

20-600 -- ADVANTAGE FLAT WHITE Printed: 08/03/07 Revised: 02/07/02 Page 3

Other Protective Equipment USUALLY NOT
REQUIRED.

Hygienic Practices
NORMAL HYGIENIC PRACTICES SHOULD BE FOLLOWED.

SECTION IX: SPECIAL PRECAUTIONS

Handling and Storing
KEEP IN AREA WITH TEMPERATURES NOT BELOW 50 DGS.F.OR ABOVE 100 DGS.F.KEEP CONTAINERS
LABELED.KEEP OUT OF THE REACH OF CHILDREN.

Other Precautions NONE KNOWN.

Disclaimer: THIS INFORMATION IS BASED ON TECHNICAL DATA BELIEVED TO BE ACCURATE AND RELIABLE/BUT
IS FURNISHED WITHOUT ANY EXPRESSED OR IMPLIED WARRANTIES.

END OF MSDS

24 Hour Emergency Contact Information:

1-(800)-255-3924 U.S.A. & Canada Outside the U.S.A.
Country Code can originating from then + 01-813-248-0585